


# STARCH WISE

# HORSE FEED

The pelleted feed with low levels of starch and sugar for mature show and performance horses.

SUPPORTS HORSES THAT REQUIRE LOW LEVELS OF STARCH AND SUGAR MANAGES CARBOHYDRATES EFFECTIVELY



#### MINIMUM FEEDING RATE

Recommended minimum feeding rates are found by matching the expected mature body weight and the status of the horse in the table below.

EXPECTED MATURE BODY WEIGHT	250 lb	500 lb	1,000 lb	1,500 lb	2,000 lb
LIGHT EXERCISE	1.5	3.0	5.0	9.5	12.0
MODERATE EXERCISE	2.0	3.5	6.5	11.0	15.0
HEAVY EXERCISE	2.5	4.0	8.0	12.5	17.0
INTENSE EXERCISE	3.0	5.0	10.0	15.0	20.0

MINIMUM POUNDS OF FEED PER DAY

Amount can be increased if extra body weight is needed. If your feeding rates fall below these minimum amounts, please consider changing to ProElite\* Grass Advantage or ProElite\* Alfalfa Advantage. Feed hay/pasture at a rate of 1-1.5% of body weight daily. Salt should be available free choice. Fresh clean water should be available at all times. Store feed in a clean, dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals. Consult with a veterinarian for a recommended diet.

## **GUARANTEED ANALYSIS**

Crude Protein (min.)	
Methionine (min.)	
Threonine (min.)	
Tryptophan (min.)	
Crude Fat (min.)	
Omega-3 Fatty Acids (min.)	
Omega-6 Fatty Acids (min.)	
Crude Fiber (max.)	
Acid Detergent Fiber (max.)	
Neutral Detergent Fiber (max.)	
Dietary Starch (max.)	
Sugars (max.)	
Calcium (min.).	
Calcium (max.).	
Phosphorus (min.)	
Sodium (min.)	
Sodium (max.)	
Ash (max.)	
Magnesium (min.)	
Potassium (min.)	
Sulfur (min.).	
Copper (min.)	
Selenium (min.).	
Selenium (max.)	
Zinc (min.)	
Iron (min.)	
Manganese (min.)	
lodine (min.)	
Vitamin A (min.)	
Vitamin D (min.)	
Vitamin E (min.)	
Riboflavin (min.)	
Biotin (min.)	
Ascorbic Acid (min.)	
Total Microbial Count* (min.)	
Protease (Bacillus Subtilis)** (min.)	
Alpha-Amylase (Bacillus Licheniformis)*** (min.)	200 0/10

### **INGREDIENTS**

Soybean Hulls, Wheat Middlings, Soybean Oil, Calcium Carbonate, Dehulled Soybean Meal, Dried Plain Beet Pulp, Salt, Lignin Sulfonate, Flaxseed, Magnesium Oxide, Dicalcium Phosphate, Monocalcium Phosphate, DLMethionine, Calcium Propionate (a preservative), L-Threonine, Choline Chloride, Anise, Fenugreek, L-Lysine, Selenium Yeast, L-Tryptophan, Yeast Culture, Vitamin E Supplement, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Dried Kelp, Iron Amino Acid Complex, Sodium Bicarbonate, Sodium Sulfate, Sodium Citrate, Ascorbic Acid, Citric Acid (a preservative), Sodium Metabisulfite (a preservative), Brewers Dried Yeast, Vitamin D3 Supplement, Dried Bacillus subtilis Fermentation

Product, Dried Bacillus licheniformis Fermentation Product, Hydrolyzed Yeast, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Dried Trichoderma reesei Fermentation Product, Biotin, Copper Sulfate, Folic Acid, Thiamine Mononitrate, Vitamin A Acetate, Riboflavin Supplement, Cobalt Sulfate, Ethylenediamine Dihydroiodide, Vitamin B12 Supplement, Niacin Supplement, d-Calcium Pantothenate, Pyridoxine Hydrochloride, Sodium Selenite, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium longum fermentation product, Dried Enterococcus faecium Fermentation Product, Lecithin, Natural Flavors, Mineral Oil.

Contains a source of live (viable) naturally occurring microorganisms.

- \*Bacillus subtilis, Bacillus licheniformis, Trichoderma reesei, Lactobacillus acidophilus, Lactobacillus casei, Bifidobacterium thermophilum, Enterococcus faecium
- \*\*One protease unit liberates 1  $\mu$ mol of tyrosine per minute under the conditions of the assay.
- \*\*\*One Thermostable Amylase Unit (TAU) is the quantity of enzyme converting 1.0 mg of starch (100% of dry matter) per minute in standardized conditions.

PROELITEHORSEFEED.COM